References

Agrawal, G. P. and Dutta, N. K. (1993)
Semiconductor Lasers, 2nd edition,
Van Nostrand Reinhold, New York.

Akeyoshi, T., Maezawa, K., Tomizawa, M., and Mizutani, T. (1992)
"Monte Carlo study of charge injection transistors (CHINTs)",
Japanese Journal of Applied Physics **32**, 26-30.

Andronov, A. A. (1987)
"Hot electrons in semiconductors and submillimeter waves (review)",
Fizika i Tekhnika Poluprovodnikov **21**, 1153-1187
[English translation:
Soviet Physics - Semiconductors **21**, 701-721 (1987)].

Bagaeva, T. Yu., Filatov, I. I., Gorbovitsky, B. M.,
Gorfinkel, V. B., Avrutin, E., and Gurevich, S. A. (1991)
"High frequency modulation of quantum well heterostructure
diode lasers by carrier heating in microwave electric field",
*Proceedings of the 1991 International
Semiconductor Device Research Symposium*, 403-406.

Belenky, G. L., Garbinski, P. A., Luryi, S., Mastrapasqua, M.,
Cho, A. Y., Hamm, R. A., Hayes, T. R.,
Laskowski, E. J., Sivco, D. L., and Smith, P. R. (1993)
"Collector-up light-emitting charge injection transistors
in n-InGaAs/InAlAs/p-InGaAs and n-InGaAs/InP/p-InGaAs heterostructures",
Journal of Applied Physics **73**, 8618-8627.

Belenky, G. L., Garbinski, P. A., Luryi, S., Smith, P. R.,
Cho, A. Y., Hamm, R. A., and Sivco, D. L. (1994a)
"Microwave performance of top-collector charge injection
transistors on InP substrates",
Semiconductor Science and Technology **9**, 1215-1219.

Belenky, G. L., Kastalsky, A., Luryi, S.,
Garbinski, P. A., Cho, A. Y., and Sivco, D. L. (1994b)
"Measurement of the effective temperature of majority carriers
under injection of hot minority carriers in heterostructures",
Appl. Phys. Lett. **64**, pp. 2247-2249 (1994).

Belenky, G. L., Kazarinov, R. F., Lopata, J., Luryi, S.,
Tanbun-Ek, T., and Garbinski, P. A. (1995)
"Direct measurement of the carrier leakage out of the active region
in InGaAsP/InP laser heterostructures",
IEEE Transactions on Electron Devices **TED-42**, 215-218.

Bosch, B. G. and Engelmann, R. W. H. (1975)
Gunn Effect Electronics,
Academic Press, New York.

Chang, C.-Y., Liu, W. C., Jame, M. S.,
Wang, Y. H., Luryi, S., and Sze, S. M. (1986)
"Induced base transistor fabricated by molecular beam epitaxy",
IEEE Electron Device Letters **EDL-7**, 497-499.

Chen, Y.-K., Nottenburg, R. N., Panish, M. B.,
Hamm, R., and Humphrey, D. A. (1989)
"Subpicosecond InP/InGaAs heterostructure bipolar transistor,"
IEEE Electron Device Letters **EDL-10**, 267-269

Coleman, P. D., Freeman, J., Morkoç, H.,
Hess, K., Streetman, B. G., and Keever, M., (1982)
"Observation of a new oscillator based on real-space
transfer in heterojunctions,"
Applied Physics Letters **40**, 493-495.

Conwell, E. M. (1967)
High Field Transport in Semiconductors,
Academic Press, New York.

Darcie, T. E., Tucker, R. S., and Sullivan, G. J. (1985)
"Intermodulation and harmonic distortion in InGaAsP lasers",
Electronics Letters **21**, pp. 665-666.

Döttling, R. and Schöll, E. (1994)
"Domain formation in modulation-doped
GaAs/$Al_x Ga_{1-x}$As heterostructures",
Solid-State Electronics **37**, 685-688.

Dyakonov, M. I. and Shur, M. S. (1993)
"Shallow water analogy for a ballistic field effect transistor
and new mechanism of plasma wave generation by DC current",
Physical Review Letters **71**, 2465-2467.

Dyakonov, M. I. and Shur, M. S. (1995a)
"Choking of electron flow - a mechanism
of current saturation in field effect transistors",
Physical Review **B 51**, 14341-14345.

Dyakonov, M. I. and Shur, M. S. (1995b)
"Two dimensional electronic flute",
Applied Physics Letters **67**, 1137-1139.

Dyakonov, M. I. and Shur, M. S. (1996)
"Detection, mixing, and frequency multiplication of
terahertz radiation by two-dimensional electronic fluid",
IEEE Transactions on Electron Devices **43**, 380-387.

Emanuel, M. A., Higman, T. K., Higman, J. M.,
Kolodzey, J. M., Coleman, J. J., and Hess, K. (1988)
"Theoretical and experimental investigations of
the heterostructure hot electron diode",
Solid-State Electronics **31**, 589-592.

Faist, J., Capasso, F., Sivco, D. L., Sirtori, C.,
Hutchinson, A. L., and Cho, A. Y. (1994)
"Quantum Cascade Laser,"
Science **264**, 553-556.

Faist, J., Capasso, F., Sirtori, C., Sivco, D. L.,
Hutchinson, A. L., and Cho, A. Y. (1995a)
"Vertical transition quantum cascade laser with Bragg confined excited state",
Applied Physics Letters **66**, 538-540.

Faist, J., Capasso, F., Sirtori, C., Sivco, D. L.,
Hutchinson, A. L., and Cho, A. Y. (1995b)
"Continuous wave operation of a vertical transition
quantum cascade laser above $T = 80\,\mathrm{K}$",
Applied Physics Letters **67**, 3057-3059

Faist, J., Capasso, F., Sirtori, C., Sivco, D. L., Baillargeon, J. N.,
Hutchinson, A. L., Chu, S.-N. G., and Cho, A. Y. (1996)
"High power mid-infrared ($\lambda \sim 5\,\mu\mathrm{m}$)
quantum cascade lasers operating above room temperature",
Applied Physics Letters **68**, 3680-3682.

Favaro, M. E., Fernández, G. E., Higman, T. K.,
York, P. K., Miller, L. M., and Coleman, J. J. (1989)
"Strained layer InGaAs channel negative-resistance field-effect transistor"
Journal of Applied Physics **65**, 378-380

Favaro, M. E., Miller, L. M., Bryan, R. P.,
Alwan, J. J., and Coleman, J. J. (1990a)
"p-channel negative resistance field-effect transistor",
Applied Physics Letters **56**, 1058-1060.

Frohman-Bentchkowsky, D. (1971)
"Memory behavior in a floating-gate avalanche injection
MOS (FAMOS) structure",
Applied Physics Letters **18**, 332-334.

Gelmont, B., Gorfinkel, V., and Luryi, S. (1996)
"Theory of the spectral lineshape and gain in
quantum wells with intersubband transitions",
*Applied Physics Letters***68**, 2171-2173.

Gorfinkel, V. B. and Filatov, I. I. (1990)
"Heating of an electron gas by an electric field in the active
region of a semiconductor laser",
Fizika i Tekhnika Poluprovodnikov **24**, 742
[English translation: *Soviet Physics - Semiconductors* **24**, 466 (1990)].

Gorfinkel, V. B., Gorbovitsky, B. M., and Filatov, I. I. (1991)
"High frequency modulation of light output power in double-heterojunction laser",
International Journal of Infrared & Millimeter Waves **12**, 649-658.

Gorfinkel, V. B. and Luryi, S. (1992)
"Rapid modulation of interband optical properties
of quantum wells by intersubband absorption",
Applied Physics Letters **60**, 3141-3143.

Gorfinkel, V. B. and Luryi, S. (1993)
"High-Frequency Modulation and Suppression of Chirp in Semiconductor Lasers",
Applied Physics Letters **62**, 2923-2925.

Gorfinkel, V. B. and Luryi, S. (1994)
"Dual modulation of semiconductor lasers",
in *Physics and Simulation of Optoelectronic Devices II*,
ed. by M. Osinski, *Proceedings of SPIE* **2146**, 204-209;
US patent **5,311,526**.

Gorfinkel, V. B. and Luryi, S. (1995)
"Fundamental limits for linearity of CATV lasers",
IEEE Journal of Lightwave Technology **13**, pp. 252-260.

Gorfinkel, V., Luryi, S., and Gelmont, B. (1996)
"Theory of gain spectra for quantum cascade lasers
and temperature dependence of their characteristics
at low and moderate carrier concentrations",
IEEE Journal of Quantum Electronics **32**, No. 11.

Gribnikov, Z. S., (1972)
"Negative differential conductivity in a multilayer heterostructure,"
Fizika i Tekhnika Poluprovodnikov **6**, 1380-1382
[English translation: *Soviet Physics - Semiconductors* **6**, 1204-1205 (1973)].

Gribnikov, Z. S., Hess, K., and Kosinovsky, G. A., (1995)
"Nonlocal and nonlinear tansport in semiconductors:
real space transfer effects",
Journal of Applied Physics **77**, 1337-1372.

Grinberg, A. A., Luryi, S., Schryer, N. L., Smith, R. K.,
Lee, C., Ravaioli, U., and Sangiorgi, E. (1991)
"Adiabatic approach to the dynamics of non-equilibrium
electron ensembles in semiconductors",
Physical Review **B 44**, 10536-10545.

Grinberg, A. A. and Luryi, S. (1990)
"Nonstationary quasiperiodic energy distribution of an electron gas
upon ultrafast thermal excitation",
Physical Review Letters **65**, 1251-1254.

Grinberg, A. A. and Luryi, S. (1992)
"Ballistic versus diffusive base transport in the
high-frequency characteristics of bipolar transistors",
Applied Physics Letters **60**, 2770-2772.

Grinberg, A. A. and Luryi, S. (1993)
"Coherent transistor",
IEEE Transactions on Electron Devices **ED-40**, 1512-1522.

Gunn, J. B. (1963)
"Microwave oscillations of current in III-V semiconductors",
Solid State Communications **1**, 88-91.

Hall, K. L., Lenz, G., Ippen, E. P., Koren, U., and Raybon, G. (1992)
"Carrier heating and spectral hole burning in strained-layer
quantum-well laser amplifiers at 1.5 μm",
Applied Physics Letters **61**, 2512-2514.

Heiblum, M. (1981)
"Tunneling hot electron transfer amplifiers (THETA):
amplifiers operating up to the infrared,"
Solid-State Electronics **24**, 343-366.

Heiblum, M., Nathan, M. I., Thomas, D. C., and Knoedler, C. M. (1985)
"Direct Observation of Ballistic Transport in GaAs,"
Physical Review Letters **55**, 2200-2203.

Henry, C. H., Logan, R. A., Merritt, F. R., and Luongo, J. P. (1983)
"The effect of intervalence band absorption
on the thermal behavior of InGaAsP lasers",
IEEE Journal of Quantum Electronics **QE-19**, 947-952.

Hess, K., Morkoç, H., Shichijo, H., and Streetman, B. G. (1979)
"Negative differential resistance through real-space electron transfer,"
Applied Physics Letters **35**, 469-471.

Hess, K., Higman, T. K., Emanuel, M. A., and Coleman, J. J. (1986)
"New ultrafast switching mechanism in semiconductor heterostructures",
Journal of Applied Physics **60**, 3775-3777.

Hesto, P., Pone, J.-F., and Castagne, R. (1982)
"A proposal and numerical simulation of N^+NN^+
Schottky device for ballistic and quasiballistic electron spectroscopy",
Applied Physics Letters **40**, 405-406.

Hilsum, C. (1962)
"Transferred electron amplifiers and oscillators",
Proceedings of the IRE **50**, 185-189.

Hu, C., Editor (1991)
*Nonvolatile semiconductor memories:
technologies, design, and applications*,
IEEE Press, New York.

Hueschen, M. R., Moll, N., and Fischer-Colbrie, A. (1990)
"Improved microwave performance in transistors based on real-space
electron transfer",
Applied Physics Letters **57**, 386-388.

Jalali, B., Nottenburg, R. N., Chen, Y.-K., Levi, A. F. J.,
Sivco, D. L., Cho, A. Y., and Humphrey, D. A. (1989)
"Near-ideal lateral scaling in abrupt *AIA/IGA*
heterostructure bipolar transistors prepared by molecular beam epitaxy,"
Applied Physics Letters **54**, 2333-2335.

Kastalsky, A. and Luryi, S. (1983)
"Novel Real-Space Hot-Electron Transfer Devices",
IEEE Electron Device Letters **EDL-4**, 334-336.

Kastalsky, A., Luryi, S., Gossard, A. C., and Hendel, R. H. (1984)
"A field-effect transistor with a negative differential resistance",
IEEE Electron Device Letters **EDL-5**, 57-60.

Keever, M., Shichijo, K., Hess, K., Banerjee, S.,
Witkowski, L., Morkoç, H., and Streetman, B. G. (1981)
"Measurements of hot-electron conduction and real-space transfer
in GaAs/AlGaAs heterojunction layers,"
Applied Physics Letters **38**, 33777.6-38.

Kizillyalli, I. C. and Hess, K.(1989)
"Physics of Real-Space Transfer Transistors",
Journal of Applied Physics **65**, 2005-2013.

Koscica, T. E. and Zhao, J. H. (1995a)
"Field effect real space transfer transistor",
IEEE Electron Device Letters **EDL-16**, 196-198.

Koscica, T. E. and Zhao, J. H. (1995b)
"Frequency doubling in GaAs/AlGaAs field effect transistor
using real space transfer",
IEEE Electron Device Letters **EDL-16**, 545-547.

Kroemer, H. (1957)
"Theory of a wide-gap emitter for transistors,"
Proceedings of the IRE **45**, 1535-1537.

Kroemer, H. (1964)
"Theory of the Gunn effect",
Proceedings of the IEEE **52**, 1736.

Kroemer, H. (1982)
"Heterostructure bipolar transistors and integrated circuits,"
Proceedings of the IEEE **70**, 13-25.

Kumekov, S. E. and Perel, V. I. (1988)
"Energy relaxation of the electron-phonon system of a semiconductor
under static and dynamic conditions",
Zhurnal Eksperimental′noi i Teoreticheskoi Fiziki **94**, 346-356
[English translation: *Soviet Physics - JETP* **67**, 193-198 (1988)].

Lai, J-T. and Lee, J. Y. (1994)
"Ultrahigh and controllable drain current peak-to-valley
ratio in negative resistance field-effect
transistors with a strained InGaAs channel",
IEEE Electron Device Letters **15**, 333-335.

Lai, J-T. and Lee, J. Y. (1995a)
"Enhanced real-space electron transfer in charge injection
transistors with source-channel heterojunctions formed by graded
$Al_xGa_{1-x}As$ layer and shallow Pd/Ge ohmic contacts",
Applied Physics Letters **66**, 1779-1781.

Lai, J-T. and Lee, J. Y. (1995b)
"Enhancement of electron transfer and
negative differential resistance in GaAs-based
real-space transfer devices by using strained
InGaAs channel layers",
Applied Physics Letters **66**, 1965-1967.

Lai, J-T., Yeh, Y.-H., and Lee, J. Y. (1996)
"Light emitting real-space transfer devices fabricated with strained
$GaAs/In_{0.2}Ga_{0.8}As$/AlGaAs Heterostructures",
Electronics Letters **32**, 1041-1042.

Landau, L. D. and Lifshitz, E. M. (1980)
Statistical Physics, Vol. 1
3rd edn., Pergamon, Oxford.

Levi, A. F. J., Jalali, B., Nottenburg, R. N., and Cho, A. Y. (1992)
"Vertical scaling in heterojunction bipolar transistors
with nonequilibrium base transport",
Applied Physics Letters **60**, 460-462.

Lindmayer, J. (1964)
"The metal-gate transistor,"
Proceedings of the IEEE **52**, 1751.

Lobentanzer, H., Stolz, W., Ploog, K., Bäuerle, R. J., and Elsaesser, T. (1989)
"Screening of the N=2 excitonic resonance by hot carriers
in an undoped GaInAs/AlInAs multiple quantum well structure",
Solid-State Electronics **32**, 1875-1879.

Luryi, S. (1985)
"An induced base hot electron transistor",
IEEE Electron Device Letters **EDL-6**, 178-180.

Luryi, S. (1990a)
"Charge injection transistors and logic circuits",
Superlattices and Microstructures **8**, 395-404.

Luryi, S. (1990b) "Hot-Electron Transistors", Chap. 7 in
High-speed semiconductor devices, ed. by S. M. Sze,
Wiley Interscience, pp. 399-461.

Luryi, S. (1991)
"Light emitting devices based on the real-space-transfer of hot electrons",
Applied Physics Letters **58**, 1727-1729.

Luryi, S. (1994)
"How to make an ideal HBT and sell it too",
IEEE Transactions on Electron Devices **TED-41**, 2241-2247.

Luryi, S. (1996)
"Active packaging: a new fabrication principle
for high performance devices and systems",
in *Future of Microelectronics:
Reflections on the Road to Nanotechnology*,
ed. by S. Luryi, J. M. Xu, and A. Zaslavsky,
NATO ASI Series **E 323**, pp. 35-43, Kluwer Academic, Dordrecht.

Luryi, S., Kastalsky, A., Gossard, A. C., and Hendel, R. H. (1984a)
"Charge injection transistor based
on real-space hot-electron transfer",
IEEE Transactions on Electron Devices **ED-31**, 832-839.

Luryi, S., Kastalsky, A., Gossard, A. C., and Hendel, R. H. (1984b)
"Hot electron memory effect in double-layered heterostructures",
Applied Physics Letters **45**, 1294-1296.

Luryi, S., Mensz, P. M., Pinto, M. R.,
Garbinski, P. A., Cho, A. Y., Sivco, D. L. (1990)
"Charge injection logic",
Applied Physics Letters **57**, 1787-1789.

Luryi, S. and Pinto, M. R. (1991a)
"Broken symmetry and the formation of hot-electron domains
in real-space transfer transistors",
Physical Review Letters **67**, 2351-2354.

Luryi, S. and Pinto, M. R. (1991b)
"Logic element and article comprising the element",
US Pat. **4,999,687**.

Luryi, S. and Pinto, M. R. (1992)
"Symmetry of the real-space transfer and collector-controlled states
in charge injection transistors",
Semiconductor Science and Technology **7**, B520-B526.

Luryi, S. and Mastrapasqua, M. (1993)
"Light-emitting logic devices based on real space transfer
in complementary InGaAs/InAlAs heterostructures",
in "*Negative Differential Resistance
and Instabilities in 2D Semiconductors*",
ed. by N. Balkan, B. K. Ridley, and A. J. Vickers,
NATO ASI Series [Physics] **B 307**,
pp. 53-82, Plenum Press, New York.

Luryi, S., Grinberg, A. A., and Gorfinkel, V. B. (1993)
"Heterostructure bipolar transistor with
enhanced forward diffusion of minority carriers",
Applied Physics Letters **63**, 1537-1539.

Maezawa, K. and Mizutani, T. (1991)
"High-frequency characteristics of charge-injection transistor-mode
operation in AlGaAs/InGaAs/GaAs metal-insulator-semiconductor
field-effect transistors",
Japanese Journal of Applied Physics **30**, 1190-1193.

Malik, R. J., Hollis, M. A., Eastman, L. F.,
Wood, C. E. C., Woodard, D. W., and AuCoin, T. R. (1981)
"GaAs planar-doped barrier transistors grown
by molecular beam epitaxy,"
*Proceedings of the 8th Biennial Cornell Conference on Active Microwave
Semiconductor Devices and Circuits*, IEEE/Cornell.

Mastrapasqua, M., Capasso, F., Luryi, S.,
Hutchinson, A. L., Sivco, D. L., and Cho, A. Y. (1992)
"Light emitting charge injection transistor with p-type collector",
Applied Physics Letters **60**, 2415-2417.

Mastrapasqua, M., Luryi, S.,
Belenky, G. L., Garbinski, P. A.,
Cho, A. Y., and Sivco, D. L. (1993)
"Multi-terminal light emitting logic device
electrically reprogrammable between OR and NAND functions",
IEEE Transactions on Electron Devices **ED-40**, 1371-1377.

Mastrapasqua, M., King, C. A., Smith, P. R.,
and Pinto, M. R. (1994)
"Charge injection transistors and logic elements
in Si/$Si_{1-x}Ge_x$ heterostructures",
1994-IEDM *Technical Digest*, 385-388.

Mastrapasqua, M., King, C. A., Smith, P. R.,
and Pinto, M. R. (1996)
"Charge injection transistors and logic elements
in Si/$Si_{1-x}Ge_x$ heterostructures",
in *Future of Microelectronics:
Reflections on the Road to Nanotechnology*,
ed. by S. Luryi, J. M. Xu, and A. Zaslavsky,
NATO ASI Series **E 323**, pp. 377-383, Kluwer Academic, Dordrecht.

Mead, C. A. (1960)
"The tunnel-emission amplifier",
Proceedings of the IRE **48**, 359-361.

Mensz, P. M., Luryi, S., Cho, A. Y.,
Sivco, D. L., and Ren, F. (1990a)
"Real Space Transfer in Three-Terminal InGaAs/InAlAs Heterostructure Devices",
Applied Physics Letters **56**, 2563-2565.

Mensz, P. M., Garbinski, P. A., Cho, A. Y.,
Sivco, D. L., and Luryi, S. (1990b)
"High Transconductance and Large Peak-To-Valley Ratio
of Negative Differential Conductance in Three-Terminal InGaAs/InAlAs
Real-Space Transfer Devices",
Applied Physics Letters **57**, 2558-2560.

Mensz, P. M., Schumacher, H., Garbinski, P. A., Cho, A. Y.,
Sivco, D. L., and Luryi, S. (1990c)
"Microwave operation of InGaAs/InAlAs charge injection transistors",
1990-IEDM *Technical Digest*, 323-326.

Mensz, P. M., Luryi, S., Bean, J. C.,
and Buescher, C. J. (1990d)
"Evidence for a real-space transfer of hot holes
in strained GeSi/Si heterostructures",
Applied Physics Letters **56**, 2663-2665.

Noda, S., Uemura, T., Yamashita, T., and Sasaki, A. (1990)
"All-optical modulation using an n-doped quantum-well structure",
Journal of Applied Physics **68**, 6529-6531.

Pinto, M. R. (1991)
"Simulation of ULSI Device Effects",
in *ULSI Science and Technology*, J. Andrews and
G. K. Celler, eds., *Electrochemical Society Proc.* **91-11**

Pinto, M. R. and Luryi, S. (1991)
"Simulation of multiply connected current-voltage
characteristics in charge injection transistors",
1991-IEDM *Technical Digest*, 507-510.

Ridley, B. K. (1963)
"Specific negative resistance in solids",
Proceedings of the Physical Society (London) **82**, 954-966.

Ridley, B. K. and Watkins, T. B. (1961)
"The possibility of negative resistance effects in semiconductors",
Proceedings of the Physical Society (London) **78**, 233-235.

Ritter, D., Hamm, R. A., Feygenson, A., Panish, M. B.,
and Chandrasekhar, S. (1991)
Applied Physics Letters **59**, 3431-3433.

Rivlin, L. A. (1985)
"‘‘Febrile’’ reaction of electrons in a semiconductor laser
to an ultrashort pulse",
Kvantovaya Elektronika **12**, 689-693
[English translation:
Soviet Journal of Quantum Electronics **15**, 453-456 (1985)].

Ruch, J. G. (1972)
"Electron dynamics in short channel filed-effect transistors",
IEEE Transactions on Electron Devices **ED-19**, 652-654.

Sai-Halasz, G. A., Wordeman, M. R., Kern, D. P.,
Rishton, S., and Ganin, G. (1988)
"High transconductance and velocity overshoot in NMOS
devices at the 0.1 μm gate-length level",
IEEE Electron Device Letters **EDL-9**, 464-466.

Schöll, E. and Aoki, K. (1991)
"Novel mechanism of a real-space transfer oscillator",
Applied Physics Letters **58**, 1277-1279.

Shockley, W. (1951) US Patent 2,569,347 (filed 1948).

Shockley, W. (1954)
"Negative resistance arising from transit time in semiconductor diodes",
Bell System Technical Journal **33**, 799-826.

Shur, M. S. (1987)
GaAs devices and circuits,
Plenum Publishing, New York.

Shur, M. S. (1990)
Physics of semiconductor devices,
Prentice Hall, Englewood Cliffs.

Stiles, M. D. and Hamann, D. R. (1989)
"Electron transmission through $NiSi_2$-Si interfaces,"
Physical Review **B 40**, 1349-1352.

Sze, S. M. (1981)
Physics of semiconductor devices,
Wiley Interscience, New York.

Sze, S. M. (1990)
"Microwave diodes", Chap. 9 in
High-Speed Semiconductor Devices, ed. by S. M. Sze,
Wiley Interscience, New York.

Tian, H., Kim, K. W., and Littlejohn, M. A. (1992)
"Novel heterojunction real-space transfer logic transistor structures:
a model-based investigation",
IEEE Transactions on Electron Devices **ED-39**, 2189-2196.

Tian, H., Kim, K. W., and Littlejohn, M. A. (1993)
"Novel charge injection transistors with heterojunction
source (launcher) and drain (blocker) configurations",
Applied Physics Letters **63**, 174-176.

Tung, R. T., Levi, A. F. J., and Gibson, J. M. (1986)
"Control of a natural permeable base transistor,"
Applied Physics Letters **48**, 635-637.

Tolstikhin, V. I. and Mastrapasqua, M. (1995)
"Three-terminal laser structure for high-speed
modulation using dynamic carrier heating",
Applied Physics Letters **67**, 3868-3870.

Tsai, C. Y., Eastman, L. F., and Lo, Y. H. (1993)
"Hot carrier and hot phonon effects on high-speed quantum well lasers",
Applied Physics Letters **63**, 3408-3410.

Wacker, A. and Schöll, E. (1994)
"Spiking at vertical electrical transport
in a heterostructure device",
Semiconductor Science and Technology **9**, 592-594.

Westland, D. J., Ryan, J. F., Scott, M. D.,
Davies, J. I., and Riffat, J. R. (1988)
"Hot carrier energy loss rates in GaIAs/InP quantum wells",
Solid-State Electronics **31**, 431-438.

Wu, C.-L., Hsu, W.-C., Tsai, M.-S.,
and Shieh, H.-M. (1995a)
"Very strong negative differential resistance
real space transfer transistor using a multiple
δ-doping GaAs/InGaAs pseudomorphic heterostructure",
Applied Physics Letters **66**, 739-741.

Wu, C.-L., Hsu, W.-C., Shieh, H.-M.,
and Tsai, M.-S. (1995b)
"A novel δ-doped GaAs/InGaAs real-space transfer transistor
with high peak-to-valley ratio and high current driving capability",
IEEE Electron Device Letters **16**, 112-114.

Yariv, A. (1991)
Optical Electronics, 4th Ed.,
Saunders College Publishing, Philadelphia.